

Nixon & Vanderhye PC.

ATTORNEYS AT LAW

11TH FLOOR
901 NORTH GLEBE ROAD
ARLINGTON, VIRGINIA 22203-1808

TELEPHONE: (703) 816-4000
FACSIMILE: (703) 816-4100
WRITER'S DIRECT DIAL NUMBER:
(703) 816-4011

FACSIMILE COVER SHEET
PLEASE DELIVER IMMEDIATELY!!!!

Atty Dkt.: 620-438
Your Ref.: _____ Date: June 22, 2009
To: Examiner Kinsey White, N.E. - TC/AU: 1648
Firm: USPTO
Facsimile No.: (571) 273-9943
From: Mary J. Wilson

Number of Pages (including cover sheet): 4
(IF YOU DO NOT RECEIVE ALL OF THE PAGES OR ENCOUNTER DIFFICULTIES IN TRANSMISSION,
PLEASE CONTACT US IMMEDIATELY AT (703-816-4000).

Tabitha A. Trice
FACSIMILE OPERATOR

ATTACHMENT/S: DRAFT SET OF PROPOSED REVISED CLAIMS

In re Patent Application of:

HELLSTROM et al
Serial No. 10/578,848
Filed: May 10, 2006
For: METHODS AND MEANS RELATING TO HEPATITIS B INFECTION

Dear Examiner Kinsey White:

With reference to our telephone discussion of earlier, attached is a copy of the proposed revised claims for your review.

I look forward to speaking with you on Thursday.

Best regards.

Mary J. Wilson

CONFIDENTIALITY NOTE

The documents accompanying this facsimile transmission contain information belonging to Nixon & Vanderhye, which is confidential and/or legally privileged. This information is only intended for the use of the individual or entity named above. IF YOU ARE NOT THE NAMED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR TAKING OF THIS INFORMATION FOR ANY USE WHATSOEVER IS STRICTLY PROHIBITED. If you have received this facsimile in error, please immediately contact us by telephone to arrange for return of the original documents to us.

1. (Currently Amended) A method of ~~predicting~~ determining whether an individual having hepatitis B virus (HBV) infection will respond to interferon alpha (IFN α) treatment, the method comprising:

- i) obtaining a pre-treatment sample from said HBV-infected individual,
- ii) analyzing said pre-treatment sample for determining the presence or absence of antibodies reactive with a preS1 peptide consisting of the sequence of residues 94-117 (SEQ ID NO:1) ~~in a pre-treatment sample obtained from the individual, and;~~
predicting from wherein the presence of said antibodies in said pre-treatment sample indicates that said individual will respond to said treatment ~~or predicting from and~~ the absence of said antibodies in said pre-treatment sample indicates that said individual will not respond to said treatment.

2.-3. (Cancelled).

4. (Previously Presented) A method according to claim 1 wherein the individual has chronic HBV infection.

5. (Previously Presented) A method according to claim 1 wherein the individual is HBeAg positive.

6. (Previously Presented) A method according to claim 1 wherein the individual is HBeAg negative.

7. (Currently Amended) A method according to claim 1 wherein, in step (ii), said pre-treatment sample is analyzed for the presence or absence of the antibodies are IgG or IgM antibodies reactive with said preS1 peptide.
8. (Previously Presented) A method according to claim 1 wherein the pre-treatment sample is a blood, serum or plasma sample.
9. (Currently Amended) A method according to claim 1 wherein step (ii) comprises
comprising:
contacting the pre-treatment sample with a preS1 peptide consisting of the
sequence of residues 94-117 (SEQ ID NO:1) and;
detecting the presence or absence of binding of ~~determining binding of~~ said
antibodies to said preS1 peptide.
10. (Currently Amended) A method according to claim 9 wherein the preS1 peptide
comprises a detectable label.
11. (Currently Amended) A method according to claim 9 wherein said preS1 peptide
is immobilised.
12. (Previously Presented) A method according to claim 9 wherein said binding is
detected with a labelled secondary antibody.

13.-19. (Cancelled).

20. (Currently Amended) A method of treating a ~~hepatitis B~~ an HBV infection in an individual identified as being responsive to IFN α comprising:

- i) obtaining a pre-treatment sample from an HBV-infected individual.
- ii) analyzing said pre-treatment sample for determining the presence or absence of antibodies reactive with a preS1 peptide consisting of the sequence of residues 94-117 (SEQ ID NO:1) in a ~~pre treatment sample obtained from the individual;~~
~~predicting from wherein~~ the presence of said antibodies in said pre-treatment
sample indicates that said individual will respond to ~~interferon alpha (IFN α)~~ IFN α
treatment, and;
administering IFN α to said individual identified as being responsive to IFN α .

21. (Cancelled).

22. (Currently Amended) A method according to claim 20 further comprising
administering ~~wherein~~ corticosteroid to said individual identified as being responsive to
IFN α ~~is administered to the individual.~~

23. (Cancelled).